

L Number	Hits	Search Text	DB	Time stamp
5	9773	(crash\$3 clos\$3 exit\$3) with (rate percent\$3 number amount) with (program window application)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 12:10
6	14	display\$3 with (crash\$3 clos\$3 exit\$3) with (rate percent\$3 number amount) with (program window application) with (color tint hue)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:40
7	2802	(crash\$3 clos\$3 exit\$3) with (rate percent\$3) with (program window application)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:42
8	66	display\$3 with (crash\$3 clos\$3 exit\$3) with (rate percent\$3) with (program window application)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:47
9	963	((crash\$3 clos\$3 exit\$3) near5 (rate percent\$3)) with (program window application)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:48
10	646	((crash\$3 clos\$3 exit\$3) near3 (rate percent\$3)) with (program window application)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:49
11	33	((crash\$3 clos\$3 exit\$3) near3 (rate percent\$3)) with (program window application) and (display\$3 with (color))	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:48
12	421	((crash\$3 clos\$3 exit\$3) near2 (rate percent\$3)) with (program window application)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:57
13	7	((crash\$3 clos\$3 exit\$3) near2 (rate percent\$3)) with (program window application) and (345/\$.ccls. 714/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:50
14	943	"crash rate" "crashing rate" "rate of crashing" "rate of crashes" "closing rate" "rate of closing" "rate of exit" "rate of exiting" "exiting rate" "exit rate"	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:53
15	56	("crash rate" "crashing rate" "rate of crashing" "rate of crashes" "closing rate" "rate of closing" "rate of exit" "rate of exiting" "exiting rate" "exit rate") with (application window program)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:53
16	47	((crash\$3 clos\$3 exit\$3) near2 (rate percent\$3)) with (program window application) and ("user interface")	USPAT; US-PGPUB; EPO; JPO	2004/08/30 09:58
17	26	((crash\$3 clos\$3 exit\$3) near2 (rate percent\$3)) with (program window application) and (GUI "graphical user interface" "graphic user interface")	USPAT; US-PGPUB; EPO; JPO	2004/08/30 10:02
18	22	((crash\$3 clos\$3 exit\$3) near2 (rate percent\$3)) with (program window application) and ("user interface") not (((crash\$3 clos\$3 exit\$3) near2 (rate percent\$3)) with (program window application) and (GUI "graphical user interface" "graphic user interface"))	USPAT; US-PGPUB; EPO; JPO	2004/08/30 10:52
19	0	("log file" with (crash\$3 near4 rate))	USPAT; US-PGPUB; EPO; JPO	2004/08/30 10:52
20	0	("log file" with (crash\$3 with rate))	USPAT; US-PGPUB; EPO; JPO	2004/08/30 10:52
21	0	((log with file) with (crash\$3 with rate))	USPAT; US-PGPUB; EPO; JPO	2004/08/30 10:52
22	0	log with (file program application window) with (crash\$3) with (rate percent\$3)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 11:19
24	1744	(345/835 345/744 345/810).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/30 12:10

25	25	((crash\$3 clos\$3 exit\$3) with (rate percent\$3 number amount) with (program window application)) and ((345/835 345/744 345/810).ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/30 12:11
26	763	(714/100 714/48).ccls.	USPAT; US-PGPUB; EPO; JPO	2004/08/30 12:12
27	9	((714/100 714/48).ccls.) and (display\$3 with (icon object item element) with (application program))	USPAT; US-PGPUB; EPO; JPO	2004/08/30 12:12
-	1	(display\$3 with (crash\$3) with (rate percent\$3 number amount) with (icon indicat\$3 object) with (application program))	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:05
-	103	(display\$3 with (crash\$3 error interrupt) with (rate percent\$3 number amount) with (icon indicat\$3 object) with (application program))	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:53
-	1	((display\$3 with (crash\$3 error interrupt) with (rate percent\$3 number amount) with (icon indicat\$3 object) with (application program))) and (345/835).ccls.	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:07
-	80	((display\$3 with (crash\$3 error interrupt) with (rate percent\$3 number amount) with (icon indicat\$3 object) with (application program))) and (345/\$.ccls. interface)	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:44
-	27	(display\$3 with (crash\$3 error interrupt) with (rate percent\$3) with (icon indicat\$3 object) with (application program))	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:44
-	20	((display\$3 with (crash\$3 error interrupt) with (rate percent\$3) with (icon indicat\$3 object) with (application program))) and (345/\$.ccls. interface)	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:44
-	22	(display\$3 with (crash\$3 interrupt\$3) with (rate percent\$3) with (application program))	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:59
-	2	((display\$3 with (crash\$3 interrupt\$3) with (rate percent\$3) with (application program))) and (345/\$.ccls. 714/100.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:59
-	764	((crash\$3 interrupt\$3) with (rate percent\$3) with (application program))	USPAT; US-PGPUB; EPO; JPO	2004/08/25 11:59
-	12	((crash\$3 interrupt\$3) with (rate percent\$3) with (application program)) and (345/\$.ccls. 714/100.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/25 12:06
-	5	((display\$3 with (icon) with (represent\$3 associat\$3 correspond\$3 "of") with (version model) with (application program)) and (display\$3 with (indicat\$3 color band ring circle concentric radial radar) with (icon))) and (345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/25 12:08
-	10	(display\$3 with (icon) with (represent\$3 associat\$3 correspond\$3 "of") with (version model) with (application program)) and (display\$3 with (indicat\$3 color band ring circle concentric radial radar) with (icon))	USPAT; US-PGPUB; EPO; JPO	2004/08/25 12:19
-	18	(display\$3 with (icon) with (represent\$3 associat\$3 correspond\$3 "of") with (application program)) and ((chang\$3 modify\$3 alter\$3 adjust\$3 vary\$3) with color with (icon) with (status attribute))	USPAT; US-PGPUB; EPO; JPO	2004/08/25 12:20

-	3	((display\$3 with (icon) with (represent\$3 associat\$3 correspond\$3 "of") with (application program)) and ((chang\$3 modify\$3 alter\$3 adjust\$3 vary\$3) with color with (icon) with (status attribute))) and (band circle concentric ring encompass\$3 surround\$3 radial radar square rectangle) with (icon)	USPAT; US-PGPUB; EPO; JPO	2004/08/25 12:21
-	1	(interface with (open\$3 activat\$3 initiat\$3) with (icon) with (application program)) and ((chang\$3 alter\$3 adjust\$3 increas\$3 decreas\$3 modify\$3 vary\$3) with (color hue tint) with (icon) with (status warning error interrupt alarm alert))	USPAT; US-PGPUB; EPO; JPO	2004/08/26 09:48
-	0	(interface with (icon) with (application program)) and ((chang\$3 alter\$3 adjust\$3 increas\$3 decreas\$3 modify\$3 vary\$3) with (border band circle circular ring radar radial square band highlight\$3 edge corner) with (color hue tint) with (icon) with (status warning error interrupt alarm alert))	USPAT; US-PGPUB; EPO; JPO	2004/08/26 09:49
-	13	((chang\$3 alter\$3 adjust\$3 increas\$3 decreas\$3 modify\$3 vary\$3) with (border band circle circular ring radar radial square band highlight\$3 edge corner) with (color hue tint) with (icon) with (status warning error interrupt alarm alert))	USPAT; US-PGPUB; EPO; JPO	2004/08/26 09:49
-	31	(interface with (display\$3) with (icon) with (application program)) and ((chang\$3 alter\$3 adjust\$3 increas\$3 decreas\$3 modify\$3 vary\$3) with (color hue tint) with (icon) with (status warning error interrupt alarm alert))	USPAT; US-PGPUB; EPO; JPO	2004/08/26 09:53
-	31	((interface with (display\$3) with (icon) with (application program)) and ((chang\$3 alter\$3 adjust\$3 increas\$3 decreas\$3 modify\$3 vary\$3) with (color hue tint) with (icon) with (status warning error interrupt alarm alert))) not (((chang\$3 alter\$3 adjust\$3 increas\$3 decreas\$3 modify\$3 vary\$3) with (border band circle circular ring radar radial square band highlight\$3 edge corner) with (color hue tint) with (icon) with (status warning error interrupt alarm alert)))	USPAT; US-PGPUB; EPO; JPO	2004/08/26 09:53
-	1	(display\$3 with (crash\$3) with (rate) with (program application))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 10:50
-	4	(display\$3 with (crash\$3) with (rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 11:13
-	479	(display\$3 determin\$3 track\$3 show\$3) with (rate percent\$3) with (clos\$ exit\$3 delet\$3) with (application window program)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/30 12:09
-	13	((display\$3 determin\$3 track\$3 show\$3) with (rate percent\$3) with (clos\$ exit\$3 delet\$3) with (application window program)) and (345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:15
-	118	(display\$3 determin\$3 track\$3 show\$3) with (rate percent\$3 level) near5 (clos\$ exit\$3 delet\$3) near3 (application window program)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:48
-	9	((display\$3 determin\$3 track\$3 show\$3) with (rate percent\$3 level) near5 (clos\$ exit\$3 delet\$3) near3 (application window program)) and (345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:18

-	91	(display\$3 determin\$3 track\$3 show\$3) with ((rate percent\$3 level) near4 (clos\$ exit\$3 delet\$3) near3 (application window program))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:49
-	80	(display\$3 determin\$3 track\$3 show\$3) with ((rate percent\$3 level) near4 (close closed closing exit\$3 delet\$3) near3 (application window program))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:50
-	30	(display\$3 determin\$3 track\$3 show\$3) with ((rate percent\$3) near4 (close closed closing exit\$3 delet\$3) near3 (application window program))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:52
-	348	(display\$3 determin\$3 track\$3 show\$3) with ((rate) with (close closed closing exit\$3 delet\$3 crash\$3) with(application window program))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:52
-	97	((display\$3 determin\$3 track\$3 show\$3) with ((rate) with (close closed closing exit\$3 delet\$3 crash\$3) with(application window program))) and (interface 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:52